

Week #9 – October 10, 2022**Coaches – VB1 – Due October 12**

October 5 is the first day to submit volleyball officials recommendations, with the closing date of October 12. Select a minimum of five (5) and a maximum of ten (10) officials you have observed in the last two years that you feel should be considered for postseason competition at the sub-state or state level.

Required Postseason Warm-Up

The required warm-up for all KSHSAA postseason tournaments will be:

- 20 Minutes – 4 minutes shared court time for ball handling
- 4 minutes for visiting team to use the court (no home team skill work)
- 4 minutes for home team to use the court (no visiting team skill work)
- 4 minutes for visiting team to use the court (no home team skill work)
- 4 minutes for home team to use the court (no visiting team skill work)
- 10 Minutes - 2 minutes for shared ball handling
- 4 minutes for visiting team use of court (no home team skill work)
- 4 minutes for home team use of court (no visiting team skill work)

According to the KSHSAA Volleyball Manual, during the time when one team is warming up, the other team may not do any skill work. Therefore, if the other team wants to shag balls, this is acceptable as long as safety is considered when rolling the balls back to the other team. If the other team is on the floor for warm-up, the team shagging balls must be respectful in what they do and what they say. There is not a NFHS rules against one team shagging balls for the other team.

Ceiling Suspended Net Systems – Here is the correct information!

2-3d – A ball is out of bounds and becomes dead when it touches the net cables or net not completely inside the antenna, net supports or first referee's platform.

2-3j – A ball is out of bounds and becomes dead when it touches the cable(s) and/or diagonal pole(s) used to retract a ceiling-suspended net system located on one side of the net, and in the judgment of the referee, the ball would have not remained in play if the cable(s) and/or pole(s) had not been there.

Playable Overhead Obstructions – I had the wrong heading last week!

Rule 2-2 Playable Overhead Obstructions: A ball striking the ceiling or an overhead obstruction above a playable area shall remain in play provided the ball contacts the ceiling or obstruction on the side of the net extended that is occupied by the team that last played the ball, and the ball is legally played next by the same team.

Update Scores

Please be respectful of all coaches by updating your scores onto the KSHSAA website. Many coaches use this to monitor records and prepare for upcoming matches. It is each team's responsibility to make sure those scores are current. This is often assigned to an assistant coach who can do this on the way home from the games.